Brain Research, 619 (1993) 357–359
Elsevier Science Publishers B.V.

Author Index

Akaike, N., Ishibashi, H., Hara, H., Oyama, Y. and Ueha, T.
Effect of KB-2796, a new diphenylpiperazine Ca^{2+} antagonist, on voltage-dependent Ca^{2+} currents and oxidative metabolism in dissociated mammalian CNS neurons (619) 263
Armstrong, D.M., see Benzing, W.C. (619) 55
Astic, L., Saucier, D., Coulon, P., Lafay, F. and Flamand, A.
The CVS strain of rabies virus as transneuronal tracer in the olfactory system of mice (619) 146

Benzing, W.C., Brady, D.R., Mufson, E.J. and Armstrong, D.M.
Evidence that transmitter-containing dystrophic neurites precede those containing paired helical filaments within senile plaques in the entorhinal cortex of nondemented elderly and Alzheimer's disease patients (619) 55
Berman, R.F., see Janusz, C.A. (619) 131
Biegon, A., Mathis, C.A., Hanrahan, S.M. and Jagust, W.J.
[^{125}I]5-Iodo-6-nitroquipazine: a potent and selective ligand for the 5-hydroxytryptamine uptake complex. II. In vivo studies in rats (619) 236
Biegon, A., see Mathis, C.A. (619) 229
Bradley, R.M., see King, M.S. (619) 120
Brady, D.R., see Benzing, W.C. (619) 55
Brennan, P.A. and Kishimoto, J.
Local inhibition of nitric oxide synthase activity in the accessory olfactory bulb does not prevent the formation of an olfactory memory in mice (619) 306

Cagampang, F.R.A., see Otori, Y. (619) 271
Cerrito, F., see Florio, T. (619) 180
Chan, P.H., see Kinouchi, H. (619) 334
Chen, T., see Kato, H. (619) 339
Ciriello, J., see Rosas-Arellano, M.P. (619) 352
Collins, R.J., see Richardson, N.R. (619) 15
Coulon, P., see Astic, L. (619) 146
Csaba, Z., see Gerendai, I. (619) 173
Csernus, V., see Gerendai, I. (619) 173

Davies, J.A., see Dickie, B.G.M. (619) 247
Desmond, N.L., see Wenzel, J. (619) 331
Dickie, B.G.M. and Davies, J.A.
Modulation of calcium-dependent and -independent components of veratridine-evoked release of glutamate from rat cerebellum (619) 247
Di Loreto, S., see Florio, T. (619) 180

Elphick, M.R., Green, I.C. and O'Shea, M.
Nitric oxide synthesis and action in an invertebrate brain (619) 344
Enas, J.D., see Mathis, C.A. (619) 229

Flamand, A., see Astic, L. (619) 146
Florio, T., Di Loreto, S., Cerrito, F. and Scarnati, E.
Influence of prelimbic and sensorimotor cortices on striatal neurons in the rat: electrophysiological evidence for converging inputs and the effects of 6-OHDA-induced degeneration of the substantia nigra (619) 180
Fontana, A., see Müller, M. (619) 157
Foote, S.L., see Siegel, S.J. (619) 299
Fordyce, D.E. and Wehner, J.M.
Physical activity enhances spatial learning performance with an associated alteration in hippocampal protein kinase C activity in C57BL/6 and DBA/2 mice (619) 111
Freed, W.J., see Poltorak, M. (619) 255
Fukuhara, C., see Otori, Y. (619) 271
Funada, M., Suzuki, T., Narita, M., Misawa, M. and Nagase, H.
Modification of morphine-induced locomotor activity by pertussis toxin: biochemical and behavioral studies in mice (619) 163

Gähwiler, B.H., see Müller, M. (619) 157
Garretson, J.D., see Neumann, P.E. (619) 81
Gerendai, I., Csaba, Z., Vokó, Z. and Csernus, V.
Effect of unilateral deafferentation in the medial basal portion of the temporal lobe on the hypophyseo-ovarian axis in rats: an age-dependent lateralized control mechanism (619) 173
Ginsberg, S.D., see Siegel, S.J. (619) 299
Glenthøj, B., Mogensen, J., Laursen, H., Holm, S. and Hemmingsen, R.
Electrical sensitization of the meso-limbic dopaminergic system in rats: a pathogenetic model for schizophrenia (619) 39
Goodman, M.N., Silver, J. and Jacobberger, J.W.
Establishment and neurite outgrowth properties of neonatal and adult rat olfactory bulb glial cell lines (619) 199
Green, E.J., see McCabe, P.M. (619) 291
Green, I.C., see Elphick, M.R. (619) 344

Haldeman, B., see Thomsen, C. (619) 22
Hampson, D.R., see Thomsen, C. (619) 22
Hanamori, T. and Ishiko, N.
Cardiovascular responses to gustatory and mechanical stimulation of the nasopharynx in rats (619) 214
Hanrahan, S.M., see Biegon, A. (619) 236
Hara, H., see Akaike, N. (619) 263
Harvey, J.A., McMaster, S.E. and Romano, A.G.
Methylenedioxyamphetamine: neurotoxic effects on serotonergic projections to brainstem nuclei in the rat (619) 1
Hemmingsen, R., see Glenthøj, B. (619) 39

Hicks, K., see Kinouchi, H. (619) 334
Hitosugi, H., see Kamei, J. (619) 76
Hoebel, B.G., see Rada, P.V. (619) 105
Hoebel, B.G., see Rada, P.V. (619) 98
Hof, P.R., see Siegel, S.J. (619) 299
Holm, S., see Glenthøj, B. (619) 39
Hölscher, C. and Rose, S.P.R.
Inhibiting synthesis of the putative retrograde messenger nitric oxide results in amnesia in a passive avoidance task in the chick (619) 189
Hsiao, C.-F., see Huang, C.-m. (619) 313
Huang, C.-m., Mu, H. and Hsiao, C.-F.
Identification of cell types from action potential waveforms: cerebellar granule cells (619) 313

Inouye, S.-I.T., see Otori, Y. (619) 271
Ishibashi, H., see Akaike, N. (619) 263
Ishiko, N., see Hanamori, T. (619) 214
Itoh, J., Ukai, M. and Kameyama, T.
U-50,488H, a κ-opioid receptor agonist, markedly prevents memory dysfunctions induced by transient cerebral ischemia in mice (619) 223

Jacobberger, J.W., see Goodman, M.N. (619) 199
Jagust, W.J., see Biegon, A. (619) 236
Janusz, C.A. and Berman, R.F.
The adenosine binding enhancer, PD 81,723, inhibits epileptiform bursting in the hippocampal brain slice (619) 131

Kalant, H., see Mihic, S.J. (619) 319
Kamei, J., Kawashima, N., Hitosugi, H., Misawa, M., Nagase, H. and Kasuya, Y.
Effect of diabetes on the antinociceptive effect of β-endorphin (619) 76
Kameyama, T., see Itoh, J. (619) 223
Kamii, H., see Kinouchi, H. (619) 334
Kaneko, S., see Maeda, T. (619) 324
Kasuya, Y., see Kamei, J. (619) 76
Kato, H., Chen, T., Liu, X.-H., Nakata, N. and Kogure, K.
Immunohistochemical localization of ubiquitin in gerbil hippocampus with induced tolerance to ischemia (619) 339
Kawashima, N., see Kamei, J. (619) 76
King, M.S., Wang, L. and Bradley, R.M.
Substance P excites neurons in the gustatory zone of the rat nucleus tractus solitarius (619) 120
Kinouchi, H., Sharp, F.R., Koistinaho, J., Hicks, K., Kamii, H. and Chan, P.H.
Induction of heat shock hsp70 mRNA and HSP70 kDa protein in neurons in the 'penumbra' following focal cerebral ischemia in the rat (619) 334
Kishimoto, J., see Brennan, P.A. (619) 306
Kitoh, J., see Nakano, K. (619) 195
Knudsen, E.I., see Mogdans, J. (619) 29
Kogure, K., see Kato, H. (619) 339

Koistinaho, J., see Kinouchi, H. (619) 334
Kraemer, G.W., see Siegel, S.J. (619) 299
Kudo, Y., see Suzuki, T. (619) 69
Kuroda, T., see Nakano, K. (619) 195

Lafay, F., see Astic, L. (619) 146
Laursen, H., see Glenthøj, B. (619) 39
Levy, W.B., see Wenzel, J. (619) 331
Liu, X.-H., see Kato, H. (619) 339

Maeda, T., Kaneko, S. and Satoh, M.
Bidirectional modulation of long-term potentiation by carbachol via M_1 and M_2 muscarinic receptors in guinea pig hippocampal mossy fiber-CA3 synapses (619) 324
Mark, G.P., see Rada, P.V. (619) 105
Mark, G.P., see Rada, P.V. (619) 98
Masuda, K., see Nakano, K. (619) 195
Mathis, C.A., Taylor, S.E., Biegon, A. and Enas, J.D.
[^{125}I]5-Iodo-6-nitroquipazine: a potent and selective ligand for the 5-hydroxytryptamine uptake complex. I. In vitro studies (619) 229
Mathis, C.A., see Biegon, A. (619) 236
McCabe, P.M., McEchron, M.D., Green, E.J. and Schneiderman, N.
Electrolytic and ibotenic acid lesions of the medial subnucleus of the medial geniculate prevent the acquisition of classically conditioned heart rate to a single acoustic stimulus in rabbits (619) 291
McEchron, M.D., see McCabe, P.M. (619) 291
McKinney, W.T., see Siegel, S.J. (619) 299
McMaster, S.E., see Harvey, J.A. (619) 1
Mihic, S.J., Van Berckel, B.N.M., Wu, P.H. and Kalant, H.
GABA and pentobarbital potentiation of chloride influx into microsacs is influenced by incubation time (619) 319
Misawa, M., see Funada, M. (619) 163
Misawa, M., see Kamei, J. (619) 76
Mizobuchi, M., see Nakano, K. (619) 195
Mogdans, J. and Knudsen, E.I.
Early monaural occlusion alters the neural map of interaural level differences in the inferior colliculus of the barn owl (619) 29
Mogensen, J., see Glenthøj, B. (619) 39
Morrison, J.H., see Siegel, S.J. (619) 299
Mu, H., see Huang, C.-m. (619) 313
Mueller, G.G., see Neumann, P.E. (619) 81
Mufson, E.J., see Benzing, W.C. (619) 55
Müller, M., Fontana, A., Zbinden, G. and Gähwiler, B.H.
Effects of interferons and hydrogen peroxide on CA3 pyramidal cells in rat hippocampal slice cultures (619) 157
Mulvihill, E.R., see Thomsen, C. (619) 22
Myers, J.E., see Richardson, N.R. (619) 15

Nagase, H., see Funada, M. (619) 163
Nagase, H., see Kamei, J. (619) 76
Nakamura, K., see Suzuki, T. (619) 69
Nakano, K., Takahashi, S., Mizobuchi, M., Kuroda, T., Masuda, K. and Kitoh, J.
High levels of quinolinic acid in brain of epilepsy-prone E1 mice (619) 195
Nakata, N., see Kato, H. (619) 339
Narita, M., see Funada, M. (619) 163
Neumann, P.E., Garretson, J.D., Skabardonis, G.P. and Mueller, G.G.
Genetic analysis of cerebellar folial pattern in crosses of C57BL/6J and DBA/2J inbred mice (619) 81
Normann, R.A., see Perlman, I. (619) 89

Ogura, A., see Suzuki, T. (619) 69
Okamura, H., see Otori, Y. (619) 271
Okumura-Noji, K., see Suzuki, T. (619) 69
O'Shea, M., see Elphick, M.R. (619) 344
Otori, Y., Tominaga, K., Fukuhara, C., Yang, J., Yamazaki, S., Cagampang, F.R.A., Okamura, H. and Inouye, S.-I.T.
Substance P-like immunoreactivity in the suprachiasmatic nucleus of the rat (619) 271
Oyama, Y., see Akaike, N. (619) 263

Perlman, I., Sullivan, J.M. and Normann, R.A.
Voltage- and time-dependent potassium conductances enhance the frequency response of horizontal cells in the turtle retina (619) 89
Pickering, D.S., see Thomsen, C. (619) 22
Piercey, M.F., see Richardson, N.R. (619) 15
Poltorak, M., Williams, J.R. and Freed, W.J.
Degradation fragments of L1 antigen enhance tyrosine hydroxylase-immunoreactive neurite outgrowth in mesencephalic cell culture (619) 255
Puotz, J.K., see Rosa-Kenig, A. (619) 347

Rada, P.V., Mark, G.P. and Hoebel, B.G.
In vivo modulation of acetylcholine in the nucleus accumbens of freely moving rats: I. Inhibition by serotonin (619) 98
Rada, P.V., Mark, G.P. and Hoebel, B.G.
In vivo modulation of acetylcholine in the nucleus accumbens of freely moving rats: II. Inhibition by γ-aminobutyric acid (619) 105
Rebec, G.V., see Rosa-Kenig, A. (619) 347
Richardson, N.R., Piercey, M.F., Svensson, K., Collins, R.J., Myers, J.E. and Roberts, D.C.S.
Antagonism of cocaine self-administration by the preferential dopamine autoreceptor antagonist, (+)-AJ 76 (619) 15
Roberts, D.C.S., see Richardson, N.R. (619) 15
Romano, A.G., see Harvey, J.A. (619) 1
Rosa-Kenig, A., Puotz, J.K. and Rebec, G.V.
The involvement of D_1 and D_2 dopamine receptors in amphetamine-induced changes in striatal unit activity in behaving rats (619) 347
Rosas-Arellano, M.P., Solano-Flores, L.P. and Ciriello, J.
Effect of arcuate nucleus activation on neuronal activity in subfornical organ (619) 352
Rose, S.P.R., see Hölscher, C. (619) 189

Satoh, M., see Maeda, T. (619) 324
Saucier, D., see Astic, L. (619) 146
Scarnati, E., see Florio, T. (619) 180
Schneiderman, N., see McCabe, P.M. (619) 291
Sharp, F.R., see Kinouchi, H. (619) 334
Shrager, P.
Axonal coding of action potentials in demyelinated nerve fibers (619) 278
Siegel, S.J., Ginsberg, S.D., Hof, P.R., Foote, S.L., Young, W.G., Kraemer, G.W., McKinney, W.T. and Morrison, J.H.
Effects of social deprivation in prepubescent rhesus monkeys: immunohistochemical analysis of the neurofilament protein triplet in the hippocampal formation (619) 299
Silva, M.C., see Tavares, M.A. (619) 137
Silver, J., see Goodman, M.N. (619) 199
Skabardonis, G.P., see Neumann, P.E. (619) 81
Solano-Flores, L.P., see Rosas-Arellano, M.P. (619) 352
Sullivan, J.M., see Perlman, I. (619) 89
Suzdak, P.D., see Thomsen, C. (619) 22
Suzuki, T., Okumura-Noji, K., Tanaka, R., Ogura, A., Nakamura, K., Kudo, Y. and Tada, T.
Characterization of protein kinase C activities in postsynaptic density fractions prepared from cerebral cortex, hippocampus, and cerebellum (619) 69
Suzuki, T., see Funada, M. (619) 163
Svensson, K., see Richardson, N.R. (619) 15

Tada, T., see Suzuki, T. (619) 69
Takahashi, S., see Nakano, K. (619) 195
Tanaka, R., see Suzuki, T. (619) 69
Tavares, M.A. and Silva, M.C.
Body weight gain and hippocampal volumes of rats exposed neonatally to psychostimulants (619) 137
Taylor, S.E., see Mathis, C.A. (619) 229
Thomsen, C., Mulvihill, E.R., Haldeman, B., Pickering, D.S., Hampson, D.R. and Suzdak, P.D.
A pharmacological characterization of the mGluR1α subtype of the metabotropic glutamate receptor expressed in a cloned baby hamster kidney cell line (619) 22
Tominaga, K., see Otori, Y. (619) 271

Ueha, T., see Akaike, N. (619) 263
Ukai, M., see Itoh, J. (619) 223

Van Berckel, B.N.M., see Mihic, S.J. (619) 319
Vokó, Z., see Gerendai, I. (619) 173

Wang, L., see King, M.S. (619) 120
Wehner, J.M., see Fordyce, D.E. (619) 111
Wenzel, J., Desmond, N.L. and Levy, W.B. Somatic ribosomal changes induced by long-term potentiation of the perforant path–hippocampal CA1 synapses (619) 331
Williams, J.R., see Poltorak, M. (619) 255
Wu, P.H., see Mihic, S.J. (619) 319
Yamazaki, S., see Otori, Y. (619) 271
Yang, J., see Otori, Y. (619) 271
Young, W.G., see Siegel, S.J. (619) 299
Zbinden, G., see Müller, M. (619) 157